

15374 - 103A Ave.
Surrey, BC
Canada
V3R 7A2

Tel: (604) 580-1287
Fax: (604) 580-2375

CERTIFICATE OF ANALYSIS

Product Code: 05871020 **Date of Manufacture:** 30/10/2020
Certificate Number: RT301020 **Date Certified:** 13/11/2020
Product Name: RootBuilder **Storage Conditions:** 0-35°C
Hazards: H316: Causes mild skin irritation
H320: Causes eye irritation

The undersigned hereby certifies the following data to be true specification of the obtained results of tests and assays.

Test	Results	Specifications
Appearance	Pink/Opaque	Conforms
Solubility	Complete in water	Conforms
Electrical Conductivity	35.48 mS/cm	38 ± 5 mS/cm
Acidity	5.03 pH	5.2 ± 0.2 pH
Specific Gravity	1.015 g/ml	1.020 ± 0.005 g/ml

Heavy Metals

Test	Results	Specifications
Arsenic (As)	<0.494 mg/kg	13 mg/kg
Cadmium (Cd)	<0.482 mg/kg	10 mg/kg
Cobalt (Co)	<0.420 mg/kg	136 mg/kg
Mercury (Hg)	<0.005 mg/kg	1 mg/kg
Molybdenum (Mo)	<0.519 mg/kg	42 mg/kg
Nickel (Ni)	<0.500 mg/kg	250 mg/kg
Lead (Pb)	<0.605 mg/kg	61 mg/kg
Selenium (Se)	<1.12 mg/kg	26 mg/kg
Zinc (Zn)	<5.72 mg/kg	420 mg/kg

Report Approved
By:



Thomas Jones - Laboratory Manager

Approval
Date: 13/11/2020

